




# Frequency Selective Surface, Periodic Complementary Split Ring Resonator

## Introduction

Frequency selective surfaces (FSS) are periodic structures with a bandpass or a bandstop frequency response. This example shows that only signals around the center frequency can pass through the periodic complementary split ring resonator layer.



*Figure 1: One unit cell of the complementary split ring resonator is modeled with periodic boundary conditions to simulate an infinite 2D array. Perfectly matched layers at the top and bottom of the unit cell absorb the excited and higher order modes.*

## Model Definition

A split ring slot is patterned on a geometrically thin copper layer that sits on a 2 mm PTFE substrate (Figure 1). The copper layer is much thicker than the skin depth in the simulated frequency range, so it is modeled as a perfect electric conductor (PEC). The rest of the simulation domain is filled with air.

Floquet-periodic boundary conditions are used on four sides of the unit cell to simulate the infinite 2D array. Perfectly matched layers (PMLs) on the top and bottom of the unit cell absorb the excited mode from the source port and any higher order modes generated by the periodic structure. The PMLs attenuate the wave as it propagates in the direction perpendicular to the PML boundary. Since the model is solved for a range of incident

angles, the wavelength in the PMLs is set to  $2\pi/|k_0\cos\theta|$ . This accounts for the angular dependence of the normal component of the wave vector inside the PMLs.

Port boundary conditions are placed on the interior boundaries of the PMLs, adjacent to the air domains. The Port boundary conditions automatically determine the reflection and transmission characteristics in terms of S-parameters. The interior port boundaries with PML backing require the slit condition. A slit condition means that the dependent variable can have different values on the two sides of the boundary. The port orientation is specified to define the inward direction for the S-parameter calculation. Since higher-order diffraction modes are not of particular interest in this example, the combination of a domain-backed type slit port and PMLs is used instead of adding a diffraction order port for each diffraction order and polarization.

The periodic boundary condition requires identical surface meshes on paired boundaries. This is accomplished in two steps: first by creating a mesh on only one of the boundaries and then using the Copy Face operation for the mesh on the other boundary. This mesh configuration is automatically set when using the physics-controlled mesh as shown in the step-by-step instructions. If you are interested in seeing more details about the mesh, build the physics-controlled mesh once and then change the mesh sequence type to the user-controlled mesh in the mesh settings. Then you can inspect the generated mesh sequence.


The periodic conditions are split by the ports, having the slit conditions. To make sure that the periodic conditions couples the correct dependent variables on the two sides of the slit condition, multiple periodic conditions are defined— both in front of the port and behind the port.

## *Results and Discussion*

---

The modified multislice default plot (Figure 2) shows the electric field norm on the complimentary split ring resonator. Strong fields are observed inside the slot. The S-parameter plot in Figure 3 shows that this periodic structure functions as a bandpass filter near 4.6 GHz. In Figure 4, the S-parameters appear as a function of incident angle and show that the periodic structure is penetrable at 4.6 GHz over the simulated range, except for grazing angles.

The resonance frequency of this periodic structure can be quickly evaluated as 4.59 GHz using an Eigenfrequency study, which is not included in this example.



*Figure 2: The fields are confined in the split ring slot.*




Figure 3: The S-parameter plot shows a bandpass resonance near 4.6 GHz.




Figure 4: The S-parameter plot is shown as a function of incident angle.

---

**Application Library path:** RF\_Module/EMI\_EMC\_Applications/  
frequency\_selective\_surface\_csrr


---

### *Modeling Instructions*




---

From the **File** menu, choose **New**.

#### **NEW**

In the **New** window, click  **Model Wizard**.

#### **MODEL WIZARD**

- 1 In the **Model Wizard** window, click  **3D**.
- 2 In the **Select Physics** tree, select **Radio Frequency>Electromagnetic Waves, Frequency Domain (emw)**.
- 3 Click **Add**.
- 4 Click  **Study**.
- 5 In the **Select Study** tree, select **General Studies>Frequency Domain**.
- 6 Click  **Done**.

#### **STUDY I**

##### *Step 1: Frequency Domain*

- 1 In the **Model Builder** window, under **Study I** click **Step 1: Frequency Domain**.
- 2 In the **Settings** window for **Frequency Domain**, locate the **Study Settings** section.
- 3 In the **Frequencies** text field, type range(3.8[GHz],0.1[GHz],5.4[GHz]).

#### **GLOBAL DEFINITIONS**

##### *Parameters I*




- 1 In the **Model Builder** window, under **Global Definitions** click **Parameters I**.
- 2 In the **Settings** window for **Parameters**, locate the **Parameters** section.
- 3 In the table, enter the following settings:

Name	Expression	Value	Description
theta	0[deg]	0 rad	Elevation angle


## GEOMETRY I

- 1 In the **Model Builder** window, under **Component 1 (comp1)** click **Geometry 1**.
- 2 In the **Settings** window for **Geometry**, locate the **Units** section.
- 3 From the **Length unit** list, choose **mm**.

### *Block 1 (blk1)*

- 1 In the **Geometry** toolbar, click  **Block**.
- 2 In the **Settings** window for **Block**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 15.
- 4 In the **Depth** text field, type 15.
- 5 In the **Height** text field, type 45.
- 6 Locate the **Position** section. From the **Base** list, choose **Center**.
- 7 Click  **Build Selected**.
- 8 Click the  **Wireframe Rendering** button in the **Graphics** toolbar.




### *Work Plane 1 (wp1)*

In the **Geometry** toolbar, click  **Work Plane**.


### *Work Plane 1 (wp1)>Plane Geometry*

In the **Model Builder** window, click **Plane Geometry**.


### *Work Plane 1 (wp1)>Circle 1 (c1)*

- 1 In the **Work Plane** toolbar, click  **Circle**.
- 2 In the **Settings** window for **Circle**, locate the **Size and Shape** section.
- 3 In the **Radius** text field, type 5.
- 4 Click  **Build Selected**.
- 5 Click the  **Zoom Extents** button in the **Graphics** toolbar.

### *Work Plane 1 (wp1)>Circle 2 (c2)*




- 1 In the **Work Plane** toolbar, click  **Circle**.
- 2 In the **Settings** window for **Circle**, locate the **Size and Shape** section.
- 3 In the **Radius** text field, type 3.5.

### *Work Plane 1 (wp1)>Rectangle 1 (r1)*

- 1 In the **Work Plane** toolbar, click  **Rectangle**.
- 2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 4.

- 4 Locate the **Position** section. From the **Base** list, choose **Center**.
- 5 In the **xw** text field, type 4.



*Work Plane 1 (wpl)>Difference 1 (dif1)*

- 1 In the **Work Plane** toolbar, click  **Booleans and Partitions** and choose **Difference**.
- 2 Select the object **c1** only.
- 3 In the **Settings** window for **Difference**, locate the **Difference** section.
- 4 Find the **Objects to subtract** subsection. Click to select the  **Activate Selection** toggle button.
- 5 Select the objects **c2** and **r1** only.
- 6 Click  **Build Selected**.


*Block 2 (blk2)*


- 1 In the **Model Builder** window, right-click **Geometry 1** and choose **Block**.
- 2 In the **Settings** window for **Block**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 15.
- 4 In the **Depth** text field, type 15.
- 5 In the **Height** text field, type 2.
- 6 Locate the **Position** section. From the **Base** list, choose **Center**.
- 7 In the **z** text field, type -1.

*Block 3 (blk3)*

- 1 In the **Geometry** toolbar, click  **Block**.
- 2 In the **Settings** window for **Block**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 15.
- 4 In the **Depth** text field, type 15.
- 5 In the **Height** text field, type 80.
- 6 Locate the **Position** section. From the **Base** list, choose **Center**.
- 7 Click  **Build All Objects**.



8 Click the  **Zoom Extents** button in the **Graphics** toolbar.



## ELECTROMAGNETIC WAVES, FREQUENCY DOMAIN (EMW)

### *Perfect Electric Conductor 2*

1 In the **Model Builder** window, under **Component 1 (comp1)** right-click **Electromagnetic Waves, Frequency Domain (emw)** and choose the boundary condition **Perfect Electric Conductor**.


2 Select Boundary 12 only.

Use Floquet-periodic conditions on all side boundaries.

### *Periodic Condition 1*

1 In the **Physics** toolbar, click  **Boundaries** and choose **Periodic Condition**.

2 Select Boundaries 4, 7, 10, and 24–26 only.



3 In the **Settings** window for **Periodic Condition**, locate the **Periodicity Settings** section.


4 From the **Type of periodicity** list, choose **Floquet periodicity**.

5 From the **k-vector for Floquet periodicity** list, choose **From periodic port**.

#### *Periodic Condition 2*

1 In the **Physics** toolbar, click  **Boundaries** and choose **Periodic Condition**.

2 Select Boundaries 1, 13, 23, and 27 only.



3 In the **Settings** window for **Periodic Condition**, locate the **Periodicity Settings** section.


4 From the **Type of periodicity** list, choose **Floquet periodicity**.

5 From the **k-vector for Floquet periodicity** list, choose **From periodic port**.

*Periodic Condition 3*

1 In the **Physics** toolbar, click  **Boundaries** and choose **Periodic Condition**.

2 Select Boundaries 5, 8, 11, and 18–20 only.



3 In the **Settings** window for **Periodic Condition**, locate the **Periodicity Settings** section.


4 From the **Type of periodicity** list, choose **Floquet periodicity**.

5 From the **k-vector for Floquet periodicity** list, choose **From periodic port**.

*Periodic Condition 4*


1 In the **Physics** toolbar, click  **Boundaries** and choose **Periodic Condition**.

- 2 Select Boundaries 2, 14, 17, and 21 only.



- 3 In the **Settings** window for **Periodic Condition**, locate the **Periodicity Settings** section.
  - 4 From the **Type of periodicity** list, choose **Floquet periodicity**.
  - 5 From the **k-vector for Floquet periodicity** list, choose **From periodic port**.
- The wave is excited from the port on the top.

#### Port 1

- 1 In the **Physics** toolbar, click  **Boundaries** and choose **Port**.
  - 2 Select Boundary 15 only.
  - 3 In the **Settings** window for **Port**, locate the **Port Properties** section.
  - 4 From the **Type of port** list, choose **Periodic**.
- For the first port, wave excitation is **on** by default.
- 5 Select the **Activate slit condition on interior port** check box.
  - 6 From the **Slit type** list, choose **Domain-backed**.
  - 7 Click **Toggle Power Flow Direction**.
  - 8 Locate the **Port Mode Settings** section. From the **Input quantity** list, choose **Magnetic field**.


9 Specify the  $\mathbf{H}_0$  vector as

0	x
1	y
0	z

10 In the  $\alpha_1$  text field, type **theta**.


The maximum frequency in the setting window will be used only when **Compute Diffraction Order** button is clicked to generate Diffraction Order features handling higher order mode individually. In this model, PML absorbs all higher order modes, so this setting is ineffective.

#### Port 2

- 1 In the **Physics** toolbar, click  **Boundaries** and choose **Port**.
- 2 Select Boundary 6 only.
- 3 In the **Settings** window for **Port**, locate the **Port Properties** section.
- 4 From the **Type of port** list, choose **Periodic**.
- 5 Select the **Activate slit condition on interior port** check box.
- 6 From the **Slit type** list, choose **Domain-backed**.
- 7 Click **Toggle Power Flow Direction**.
- 8 Locate the **Port Mode Settings** section. From the **Input quantity** list, choose **Magnetic field**.
- 9 Specify the  $\mathbf{H}_0$  vector as


0	x
1	y
0	z

#### Scattering Boundary Condition 1

- 1 In the **Physics** toolbar, click  **Boundaries** and choose **Scattering Boundary Condition**.
- 2 Select Boundary 3 only.


### DEFINITIONS

#### Perfectly Matched Layer 1 (pml1)



- 1 In the **Definitions** toolbar, click  **Perfectly Matched Layer**.
- 2 Select Domain 5 only.

- 3 In the **Settings** window for **Perfectly Matched Layer**, locate the **Scaling** section.
- 4 From the **Typical wavelength from** list, choose **User defined**.
- 5 In the **Typical wavelength** text field, type  $2\pi / \text{abs}(\text{emw.k0} \cdot \cos(\text{theta}))$ .

#### *Perfectly Matched Layer 2 (pml2)*

- 1 In the **Definitions** toolbar, click  **Perfectly Matched Layer**.
- 2 Select Domain 1 only.
- 3 In the **Settings** window for **Perfectly Matched Layer**, locate the **Scaling** section.
- 4 From the **Typical wavelength from** list, choose **User defined**.
- 5 In the **Typical wavelength** text field, type  $2\pi / \text{abs}(\text{emw.k0} \cdot \cos(\text{theta}))$ .

### **ADD MATERIAL**


- 1 In the **Home** toolbar, click  **Add Material** to open the **Add Material** window.
- 2 Go to the **Add Material** window.
- 3 In the tree, select **Built-in>Air**.
- 4 Click **Add to Component** in the window toolbar.
- 5 In the **Home** toolbar, click  **Add Material** to close the **Add Material** window.

### **MATERIALS**

#### *Material 2 (mat2)*

- 1 In the **Model Builder** window, under **Component 1 (comp1)** right-click **Materials** and choose **Blank Material**.

2 Select Domain 3 only.




3 In the **Settings** window for **Material**, locate the **Material Contents** section.

4 In the table, enter the following settings:

Property	Variable	Value	Unit	Property group
Relative permittivity	epsilon_nr_iso ; epsilon_nr_ii = epsilon_nr_iso, epsilon_nr_ij = 0	2.1		Basic
Relative permeability	mu_r_iso ; mu_r_ii = mu_r_iso, mu_r_ij = 0	1		Basic
Electrical conductivity	sigma_iso ; sigma_ii = sigma_iso, sigma_ij = 0	0	S/m	Basic

## MESH 1

1 In the **Model Builder** window, under **Component 1 (comp1)** right-click **Mesh 1** and choose **Build All**.

2 Click the  **Zoom Extents** button in the **Graphics** toolbar.

3 In the **Settings** window for **Mesh**, locate the **Physics-Controlled Mesh** section.



4 From the **Element size** list, choose **Extremely fine**.

5 Click  **Build All**.

## DEFINITIONS

### *Hide for Physics 1*

1 In the **Model Builder** window, right-click **View 1** and choose **Hide for Physics**.


2 In the **Settings** window for **Hide for Physics**, locate the **Geometric Entity Selection** section.

3 From the **Geometric entity level** list, choose **Boundary**.


4 Select Boundaries 10, 11, 13, and 14 only.

## MESH 1

In the Model Builder window, click Mesh 1.



## STUDY 1

In the **Home** toolbar, click  **Compute**.



## RESULTS


### *Electric Field (emw)*

1 In the **Settings** window for **3D Plot Group**, locate the **Data** section.

- 2 From the **Parameter value (freq (GHz))** list, choose **4.6**.


#### Multislice

- 1 In the **Model Builder** window, expand the **Electric Field (emw)** node, then click **Multislice**.
- 2 In the **Settings** window for **Multislice**, locate the **Multiplane Data** section.
- 3 Find the **X-planes** subsection. In the **Planes** text field, type 0.
- 4 Find the **Y-planes** subsection. In the **Planes** text field, type 0.
- 5 Find the **Z-planes** subsection. From the **Entry method** list, choose **Coordinates**.
- 6 In the **Coordinates** text field, type -1.
- 7 In the **Electric Field (emw)** toolbar, click  **Plot**.
- 8 Click the  **Zoom In** button in the **Graphics** toolbar twice.




This reproduces [Figure 2](#).

S-parameter (emw)




Identify the resonant frequency of the periodic structure from the S-parameter plot  
[Figure 3](#).

### Smith Plot (emw)



Next, evaluate the reflectivity and transmittivity performance of the model with different incident angles.

### ADD STUDY

- 1 In the **Home** toolbar, click  **Add Study** to open the **Add Study** window.
- 2 Go to the **Add Study** window.

### STUDY I

#### *Solver Configurations*



- 1 Find the **Studies** subsection. In the **Select Study** tree, select **General Studies> Frequency Domain**.
- 2 Click **Add Study** in the window toolbar.

If you want to clear the Add Study window after adding, click Add Study again in the Home toolbar.

- 3 In the **Home** toolbar, click  **Add Study** to close the **Add Study** window.


## STUDY 2

### *Parametric Sweep*

- 1 In the **Study** toolbar, click  **Parametric Sweep**.
- 2 In the **Settings** window for **Parametric Sweep**, locate the **Study Settings** section.
- 3 Click  **Add**.
- 4 In the table, enter the following settings:


Parameter name	Parameter value list	Parameter unit
theta (Elevation angle)	range(0[deg], 5[deg], 85[deg])	rad

### *Step 1: Frequency Domain*

- 1 In the **Model Builder** window, click **Step 1: Frequency Domain**.
- 2 In the **Settings** window for **Frequency Domain**, locate the **Study Settings** section.
- 3 In the **Frequencies** text field, type 4.6[GHz].
- 4 In the **Study** toolbar, click  **Compute**.


## RESULTS


### *Multislice*

- 1 In the **Model Builder** window, expand the **Electric Field (emw) 1** node, then click **Multislice**.
- 2 In the **Settings** window for **Multislice**, locate the **Multiplane Data** section.
- 3 Find the **X-planes** subsection. In the **Planes** text field, type 0.
- 4 Find the **Y-planes** subsection. In the **Planes** text field, type 0.
- 5 Find the **Z-planes** subsection. From the **Entry method** list, choose **Coordinates**.
- 6 In the **Coordinates** text field, type -1.
- 7 In the **Electric Field (emw) 1** toolbar, click  **Plot**.

### *Global 1*

- 1 In the **Model Builder** window, expand the **Results>S-parameter (emw) 1** node, then click **Global 1**.
- 2 In the **Settings** window for **Global**, locate the **x-Axis Data** section.
- 3 From the **Unit** list, choose °.

4 In the **S-parameter (emw)** I toolbar, click  **Plot**.



This is the S-parameter plot as a function of incident angle shown in [Figure 4](#).

#### *Smith Plot (emw) I*

In the **Model Builder** window, expand the **Smith Plot (emw)** I node.

#### *Color Expression I*

- 1 In the **Model Builder** window, expand the **Results>Smith Plot (emw) I>Reflection Graph I** node, then click **Color Expression I**.
- 2 In the **Settings** window for **Color Expression**, locate the **Expression** section.
- 3 In the **Expression** text field, type theta.
- 4 From the **Unit** list, choose °.

#### *Reflection Graph I*


- 1 In the **Model Builder** window, click **Reflection Graph I**.
- 2 In the **Settings** window for **Reflection Graph**, click to expand the **Title** section.
- 3 In the **Title** text area, type Reflection Graph: S-parameter, Color: Elevation angle (degrees).

Analyze the same model with a much finer frequency resolution using **Adaptive Frequency Sweep** based on asymptotic waveform evaluation (AWE). When a device presents a slowly


varying frequency response, the AWE provides a faster solution time when running the simulation on many frequency points. The following example with the AWE can be computed 50 times faster than regular Frequency Domain sweeps with a same finer frequency resolution.

## ELECTROMAGNETIC WAVES, FREQUENCY DOMAIN (EMW)



### Port 1

- 1 In the **Model Builder** window, under **Component 1 (comp1)>Electromagnetic Waves, Frequency Domain (emw)** click **Port 1**.
- 2 In the **Settings** window for **Port**, locate the **Boundary Selection** section.
- 3 Click  **Create Selection**.
- 4 In the **Create Selection** dialog box, type Port 1 in the **Selection name** text field.
- 5 Click **OK**.

### Port 2

- 1 In the **Model Builder** window, click **Port 2**.
- 2 In the **Settings** window for **Port**, locate the **Boundary Selection** section.
- 3 Click  **Create Selection**.
- 4 In the **Create Selection** dialog box, type Port 2 in the **Selection name** text field.
- 5 Click **OK**.

## ADD STUDY

- 1 In the **Home** toolbar, click  **Add Study** to open the **Add Study** window.
- 2 Go to the **Add Study** window.
- 3 Find the **Studies** subsection. In the **Select Study** tree, select **Preset Studies for Selected Physics Interfaces>Adaptive Frequency Sweep**.
- 4 Click **Add Study** in the window toolbar.
- 5 In the **Home** toolbar, click  **Add Study** to close the **Add Study** window.

## STUDY 3

### Step 1: Adaptive Frequency Sweep


- 1 In the **Settings** window for **Adaptive Frequency Sweep**, locate the **Study Settings** section.

- 2 In the **Frequencies** text field, type `range(3.8[GHz],0.01[GHz],5.4[GHz])`.

Use a ten times finer frequency resolution.

A slowly varying scalar value curve works well for AWE expressions. When **AWE expression type** is set to **Physics controlled** in the **Adaptive Frequency Sweep** study settings, `abs(comp1.emw.S21)` is used automatically for two-port devices.

Because such a fine frequency step generates a memory-intensive solution, the model file size will increase tremendously when it is saved. When only the frequency response of port related variables are of interest, it is not necessary to store all of the field solutions. By selecting the **Store fields in output** check box in the **Values of Dependent Variables** section, we can control the part of the model on which the computed solution is saved. We only add the selection containing these boundaries where the port variables are calculated. The port size is relatively small compared to the entire modeling domain, and the saved file size with the fine frequency step is more or less that of the regular discrete frequency sweep model when only the solutions on the port boundaries are stored.

- 3 Locate the **Values of Dependent Variables** section. Find the **Store fields in output** subsection. From the **Settings** list, choose **For selections**.
- 4 Under **Selections**, click  **Add**.
- 5 In the **Add** dialog box, in the **Selections** list, choose **Port 1** and **Port 2**.
- 6 Click **OK**.

It is necessary to include the port boundaries to calculate S-parameters. By choosing only the port boundaries for **Store fields in output** settings, it is possible to reduce the size of a model file a lot.

#### *Step 1: Adaptive Frequency Sweep*

- 1 In the **Model Builder** window, click **Step 1: Adaptive Frequency Sweep**.
- 2 In the **Home** toolbar, click  **Compute**.

## **RESULTS**

### *Multislice*


- 1 In the **Model Builder** window, expand the **Electric Field (emw) 2** node.
- 2 Right-click **Results>Electric Field (emw) 2>Multislice** and choose **Delete**.

### *Surface 1*

In the **Model Builder** window, right-click **Electric Field (emw) 2** and choose **Surface**.



### Selection 1

- 1 In the **Model Builder** window, right-click **Surface 1** and choose **Selection**.
- 2 Select Boundaries 6 and 15 only.
- 3 In the **Electric Field (emw) 2** toolbar, click  **Plot**.

### S-parameter (emw) 2

- 1 In the **Model Builder** window, under **Results** click **S-parameter (emw) 2**.
- 2 In the **Settings** window for **ID Plot Group**, locate the **Legend** section.
- 3 From the **Position** list, choose **Lower right**.

### Global 1

- 1 In the **Model Builder** window, expand the **S-parameter (emw) 2** node, then click **Global 1**.
- 2 In the **Settings** window for **Global**, locate the **y-Axis Data** section.
- 3 In the table, enter the following settings:


Expression	Unit	Description
emw.S11dB	1	S11 Adaptive Frequency Sweep
emw.S21dB	1	S21 Adaptive Frequency Sweep


### Global 2

- 1 Right-click **Results>S-parameter (emw) 2>Global 1** and choose **Duplicate**.
- 2 In the **Settings** window for **Global**, locate the **y-Axis Data** section.
- 3 In the table, enter the following settings:


Expression	Unit	Description
emw.S11dB	1	S11 Regular Sweep
emw.S21dB	1	S21 Regular Sweep

- 4 Locate the **Data** section. From the **Dataset** list, choose **Study 1/Solution 1 (sol1)**.
- 5 Click to expand the **Coloring and Style** section. Find the **Line style** subsection. From the **Line** list, choose **Dotted**.
- 6 Find the **Line markers** subsection. From the **Marker** list, choose **Cycle**.

7 In the **S-parameter (emw) 2** toolbar, click  **Plot**.




### Smith Plot (emw) 2




### Array 3D 1

These final instructions create a 3D plot of the frequency selective surface. A 3D array dataset is used to generate the periodic pattern.


- 1 In the **Results** toolbar, click  **More Datasets** and choose **Array 3D**.
- 2 In the **Settings** window for **Array 3D**, locate the **Array Size** section.
- 3 In the **X size** text field, type 16.
- 4 In the **Y size** text field, type 16.

### Arrayed Field Plot

- 1 In the **Results** toolbar, click  **3D Plot Group**.
- 2 In the **Settings** window for **3D Plot Group**, type Arrayed Field Plot in the **Label** text field.
- 3 Locate the **Data** section. From the **Dataset** list, choose **Array 3D 1**.
- 4 From the **Parameter value (freq (GHz))** list, choose **4.6**.
- 5 Click to expand the **Title** section. From the **Title type** list, choose **None**.
- 6 Locate the **Plot Settings** section. Clear the **Plot dataset edges** check box.
- 7 Locate the **Color Legend** section. Clear the **Show legends** check box.

- 8 Click the  **Show Axis Orientation** button in the **Graphics** toolbar.


#### *Surface 1*


- 1 Right-click **Arrayed Field Plot** and choose **Surface**.
- 2 In the **Settings** window for **Surface**, locate the **Coloring and Style** section.
- 3 Click  **Change Color Table**.
- 4 In the **Color Table** dialog box, select **Thermal>HeatCameraLight** in the tree.
- 5 Click **OK**.
- 6 In the **Settings** window for **Surface**, locate the **Coloring and Style** section.
- 7 From the **Color table transformation** list, choose **Reverse**.


#### *Filter 1*

- 1 Right-click **Surface 1** and choose **Filter**.
- 2 In the **Settings** window for **Filter**, locate the **Element Selection** section.
- 3 In the **Logical expression for inclusion** text field, type  $z \geq -2.05[\text{mm}] \ \&\& \ z \leq 0$ .

#### *Deformation 1*

- 1 In the **Model Builder** window, right-click **Surface 1** and choose **Deformation**.
- 2 In the **Settings** window for **Deformation**, locate the **Expression** section.
- 3 In the **z-component** text field, type  $\text{emw.normE}$ .
- 4 Locate the **Scale** section.
- 5 Select the **Scale factor** check box. In the associated text field, type  $0.5\text{E}-5$ .
- 6 In the **Arrayed Field Plot** toolbar, click  **Plot**.


7 Click the  **Zoom Extends** button in the **Graphics** toolbar.



8 Click the  **Zoom In** button in the **Graphics** toolbar, to better resolve the plot details.

The following instruction shows how to use the **Graph Marker** subfeature to analyze 1D plots. When plotting transmittivity properties of a bandpass filter, the half-power bandwidth of the passband can be computed through a graph marker.

#### *Passband with Graph Marker*

- 1 In the **Home** toolbar, click  **Add Plot Group** and choose **1D Plot Group**.
- 2 In the **Settings** window for **1D Plot Group**, type **Passband with Graph Marker** in the **Label** text field.
- 3 Locate the **Data** section. From the **Dataset** list, choose **Study 3/Solution 3 (sol3)**.

#### *Global 1*

- 1 Right-click **Passband with Graph Marker** and choose **Global**.
- 2 In the **Settings** window for **Global**, click **Replace Expression** in the upper-right corner of the **y-Axis Data** section. From the menu, choose **Component 1 (comp1)> Electromagnetic Waves, Frequency Domain>Ports>S-parameter, dB>emw.S21 dB - S21**.

#### *Graph Marker 1*

- 1 Right-click **Global 1** and choose **Graph Marker**.

- 2 In the **Settings** window for **Graph Marker**, locate the **Display** section.
- 3 From the **Display mode** list, choose **Bandwidth**.
- 4 In the **Cutoff value** text field, type -3.
- 5 Locate the **Text Format** section. In the **Display precision** text field, type 3.
- 6 Select the **Include unit** check box.
- 7 Locate the **Coloring and Style** section. Select the **Show frame** check box.

